

15/09/2014

SIZE SPECIFICATION CHART

To be used with technical drawing specification sheet

DESCRIPTION: YOUTH ATHLETIC TWILL SUIT

STYLE NO: TS-1Y

Sep. 6/12

LOCATION	Size Range in Inches			
	S	M	L	XL
Back length (CB neck to finished hem)	21	22 1/2	24	25 1/2
Chest width (1" below armhole, flat measure)	18 1/2	20	21 1/2	23
Sleeve length (CB neck to sp to cuff)	27	29	31	33
Neck opening (CF to CF along ins neckline)	16 1/2	17 1/2	18 1/2	19 1/2
Hem width (flat measure)	17 1/2	19	20 1/2	22

Revisions:

June, 2008 - cuff tab w/ Vecro and pockets with zippers; start w/ PO# TN.1770

Sep.6/12 - added hem width

DESCRIPTION: ATHLETIC TWILL JACKET

STYLE NO: TS-1

Sep. 6/12

LOCATION	Size Range in Inches					
	S	M	L	XL	2XL	3XL
Back length (CB neck to finished hem)	26 1/2	27 1/2	28 1/2	29 1/2	30 1/2	31
Chest width (1" below armhole, flat measure)	22 1/2	24	25 1/2	27	28 1/2	30
Sleeve length (CB neck to sp to cuff)	34	35	36	37	38	38 1/2
Neck opening (CF to CF along ins neckline)	19	20	21	22	23	24
Hem width (flat measure)	21 1/2	23	24 1/2	26	27 1/2	29

Revisions:

June, 2008 - cuff tab w/ Vecro and pockets with zippers; start w/ PO# TN.1885

Sep.6/12 - added hem width

DESCRIPTION: WOMEN'S ATHLETIC TWILL JACKET

Date: Oct.25, 2010

STYLE NO: TS-1W

LOCATION	Size Range in Inches					
	XS	S	M	L	XL	2XL
Back length (CB neck to finished hem)	23 1/2	24 1/2	25 1/2	26 1/2	27 1/2	28 1/2
Chest width (1" below armhole, flat measure)	18 1/2	20	21 1/2	23	24 1/2	26
Sleeve length (CB neck to sp to cuff)	30	31	32	33	34	35
Neck opening (CF to CF along ins neckline)	17	18	19	20	21	22
Hem width (flat measure)	19	20 1/2	22	23 1/2	25	26 1/2

Revisions:

June, 2008 - cuff tab w/ Vecro and pockets with zippers; start w/ PO# TN.2000

15/09/2014

SIZE SPECIFICATION CHART

To be used with technical drawing specification sheet

DESCRIPTION: YOUTH ATHLETIC TWILL SUIT
STYLE NO: STXP-1Y

CURRENT SPECS: (after VC.8492)

NO.	LOCATION	Size Range in Inches				
		XS	S	M	L	XL
1	Outseam (top of waistband to finished hem)	28 1/2	31 1/4	34	36 3/4	39 1/2
2	Inseam (crotch to finished hem)	20 3/4	23 1/2	25 3/4	28	29 1/2
3	Front rise (incl. w/b)	8 1/2	9 1/4	10	10 3/4	11 1/2
4	Waistband width (flat measure relaxed)	9 1/2	10 1/2	11 1/2	12 1/2	13 1/2
5	Waistband width (flat measure stretched)	15	16	17	18	19
6	Hip width (flat measure)	16	17 1/2	19	20 1/2	21 1/2

Revisions:

Mar 23, 2010 - added size XS (BLK/BLK & NA/NA only); revised outseam (-1"), inseam (+1/2"), waistwidth relaxed (-1/2")

March 18, 2011 - reduced outseam, front rise and waist width; implement w/ PO# VC.8492

DESCRIPTION: ATHLETIC TWILL PANT
STYLE NO: STXP-1

Date: 23 Mar, 2010

CATI	Size Range in Inches						
	S	M	L	XL	2XL	3XL	4XL
Outseam	40	41	42	43	44	44 1/2	45
Inseam	29 1/2	30	30 1/2	31	31 1/2	31 3/4	32
Waistband width (relaxed)	15 1/2	16 1/2	17 1/2	18 1/2	20	21 1/2	23
Waistband width (stretched)	20	21	22	23	24 1/2	26	27 1/2

Revisions:

23 Mar, 2010 - added size 4XL (*no more order, but some leftover in stock); added w/b stretched measurements

DESCRIPTION: WOMEN'S ATHLETIC TWILL P.
STYLE NO: STXP-1W

Date: 23 Mar, 2010

CATI	Size Range in Inches				
	S	M	L	XL	2XL
Outseam	40	41	42	43	44
Inseam	30 1/2	31	31 1/2	32	32 1/2
Waistband width (relaxed)	14 1/2	15 1/2	17	18 1/2	20
Waistband width (stretched)	19	20	21 1/2	23	24 1/2
Lowrise	20 1/2	21 1/2	23	24 1/2	26

SIZE SPECIFICATION CHART

To be used with technical drawing specification sheet

DESCRIPTION : YOUTH BONDED JACKET - no hood**STYLE NO :** CXJ-2Y

LOCATION	Size Range in Inches			
	XS	S	M	L
Back length (CB neck to bottom hem)	20 1/2	22	23 1/2	25
Chest width (1" below armhole, flat measure)	16	17 1/2	19	20 1/2
Sleeve length (CB neck to sp to cuff)	23 1/2	25 1/2	27 1/2	29 1/2

DESCRIPTION : MEN'S BONDED JACKET**STYLE NO :** CXJ-2

LOCATION	Size Range in Inches							
	S	M	L	XL	2XL	3XL	4XL	5XL
Back length (CB neck to bottom hem)	27 1/2	28 1/2	29 1/2	30 1/2	31 1/2	32	32 1/2	33
Chest width (1" below armhole, flat measure)	22	23 1/2	25	26 1/2	28	29 1/2	31	32 1/2
Sleeve length (CB neck to sp to cuff)	35	36	37	38	39	39 1/2	40	40 1/2

DESCRIPTION : WOMEN'S BONDED JACKET**STYLE NO :** CXJ-2W

LOCATION	Size Range in Inches					
	XS	S	M	L	XL	2XL
Back length (CB neck to bottom hem)	25	26	27	28	29	30
Chest width (1" below armhole, flat measure)	18	19 1/2	21	22 1/2	24	25 1/2
Sleeve length (CB neck to sp to cuff)	31	32	33	34	35	36
Hem width (flat measure)	19	20 1/2	22	23 1/2	25	26 1/2

DESCRIPTION : YOUTH BONDED SHELL WINTER JACKET hooded
STYLE NO : XJF-1Y

LOCATION	Size Range in Inches			
	S	M	L	XL
Back length (CB neck to hem)	22	23 1/2	25	26 1/2
Chest width (1" below armhole, flat measure)	18 1/2	20	21 1/2	23
Sleeve length (CB neck to sp cuff)	27 1/2	29	30 1/2	32
Neck opening (CF to CF along ins neckline)	16	17	18	19

DESCRIPTION : MEN'S BONDED SHELL
STYLE NO : XJF-1

LOCATION	Size Range in Inches					
	S	M	L	XL	2XL	3XL
Back length (CB neck to hem)	27 1/2	28 1/2	29 1/2	30 1/2	31 1/2	32
Chest width (1" below armhole, flat measure)	23	24	25	26 1/2	28	29 1/2
Sleeve length (CB neck to sp cuff)	34 1/2	35 1/2	36 1/2	37 1/2	38 1/2	39
Neck opening (CF to CF along ins neckline)	19	20	21	22	23	24

DESCRIPTION : WOMEN'S BONDED SHELL
STYLE NO : XJF-1W

LOCATION	Size Range in Inches					
	XS	S	M	L	XL	2XL
Back length (CB neck to hem)	23 1/2	24 1/2	25 1/2	26 1/2	27 1/2	28 1/2
Chest width (1" below armhole, flat measure)	18	19 1/2	21	22 1/2	24	25 1/2
Sleeve length (CB neck to sp cuff)	30 1/2	31 1/2	32 1/2	33 1/2	34 1/2	35 1/2
Neck opening (CF to CF along ins neckline)	17	18	19	20	21	22
Waist width (mid side seam, flat measure)	17	18 1/2	20	21 1/2	23	24 1/2
Hem width (flat measure)	19	20 1/2	22	23 1/2	25	26 1/2

15/09/2014

SIZE SPECIFICATION CHART

To be used with technical drawing specification sheet

DESCRIPTION : MEN'S BONDED SHELL

STYLE NO : XJ-2

LOCATION	Size Range in Inches							
	XS	S	M	L	XL	2XL	3XL	4XL
Back length (CB neck to hem)	26	27	28	29	30	31	31 1/2	32
Chest width (1" below armhole, flat measure)	20	21 1/2	23	24 1/2	26	27 1/2	29	30 1/2
Sleeve length (CB neck to sp to cuff)	33 1/2	34 1/2	35 1/2	36 1/2	37 1/2	38 1/2	39	39 1/2
Hem width (flat measure)	19 1/2	21	22 1/2	24	25 1/2	27	28 1/2	30

DESCRIPTION : WOMEN'S BONDED SHELL

STYLE NO : XJ-2W

LOCATION	Size Range in Inches					
	XS	S	M	L	XL	2XL
Back length (CB neck to hem)	23 1/2	24 1/2	25 1/2	26 1/2	27 1/2	28 1/2
Chest width (1" below armhole, flat measure)	17 1/2	19	20 1/2	22	23 1/2	25
Sleeve length (CB neck to sp to cuff)	30 1/2	31 1/2	32 1/2	33 1/2	34 1/2	35 1/2
Hem width (flat measure)	18 1/2	20	21 1/2	23	24 1/2	26

SIZE SPECIFICATION CHART
To be used with technical drawing specification sheet

DESCRIPTION: YOUTH WARMUP JACKET**STYLE NO:** GSX-1Y

Jan.31, 2013

NO.	LOCATION	Size Range in Inches				
		XS	S	M	L	XL
1	Back length (center back neck to finished hem)	19 1/2	21	22 1/2	24	25 1/2
2	Chest width (1" below armhole, flat measure)	15	16 1/2	18	19 1/2	21
3	Hem width (flat measure)	15	16 1/2	18	19 1/2	21
4	Sleeve length (center back neck straight to shoulder point, straight to cuff hem)	24	26	28	30	32

DESCRIPTION : MEN'S ALDER LIGHTWEIGHT SHELL**STYLE NO :** GSX-1

Mar. 26, 201

NO.	LOCATION	Size Range in Inches							
		S	M	L	XL	2XL	3XL	4XL	5XL
1	Back length (center back neck to finished hem)	26 3/4	28	29 1/4	30 1/2	31 3/4	32 1/2	33 1/4	34
2	Chest width (1" below armhole, flat measure)	21 1/2	23	24 1/2	26	27 1/2	29	30 1/2	32
3	Hem width (flat measure)	21	22 1/2	24	25 1/2	27	28 1/2	30	31 1/2
4	Sleeve length (center back neck straight to shoulder point, straight to cuff hem)	35	36	37	38	39	39 1/2	40	40 1/2

Revision:

Mar. 26, 2014 - 1) update #4 (+1/2) ; 2) Add 4XL/5XL

DESCRIPTION : WOMEN'S ALDER LIGHTWEIGHT SHELL**STYLE NO :** GSX-1W

Mar. 26, 2013

NO.	LOCATION	Size Range in Inches					
		XS	S	M	L	XL	2XL
1	Back length (center back neck to finished hem)	24 1/2	25 3/4	27	28 1/4	29 1/2	30 3/4
2	Chest width (1" below armhole, flat measure)	18	19 1/2	21	22 1/2	24	25 1/2
3	Hem width (flat measure)	19	20 1/2	22	23 1/2	25	25 1/2
4	Sleeve length (center back neck straight to shoulder point, straight to cuff hem)	31 1/2	32 1/2	33 1/2	34 1/2	35 1/2	36 1/2

Revision:

Mar. 26, 2014 - 1) update #4 (+1/2)

SIZE SPECIFICATION CHART

To be used with technical drawing specification sheet

STYLE NO: GSXP-1Y WARMUP PANT

FEB.4/13

NO.	MEASUREMENTS AS MEASURED ON THE FINISHED GARMENT	SIZE RANGE IN INCHES				
		XS	S	M	L	XL
1	OUTSEAM (top of waistband to hem)	27 1/2	30 1/2	33 1/2	36 1/2	39 1/2
2	INSEAM (crotch point to hem, along inside leg seam)	19	21 1/2	24	26 1/2	29
3	WAIST WIDTH (flat measure at waistband, relaxed)	9 1/2	10 1/2	11 1/2	12 1/2	13 1/2
4	WAIST WIDTH (flat measure at waistband, stretched)	15	16	17	18	19
5	HIP WIDTH (flat measure, straight between side seams at widest point)	15 1/2	17	18 1/2	20	21
6	FRONT RISE (from top of waistband to crotch point)	9	9 1/2	10	10 1/2	11

Measurement Comments:

- a **OUTSEAM** measurement should be used when sizing the person, not inseam.
- b **INSEAM** measurement should not be used solely to determine leg length; front rise length also affects finished leg length.

STYLE NO: GSXP-1

FEB.4/13

NO.	MEASUREMENTS AS MEASURED ON THE FINISHED GARMENT	SIZE RANGE IN INCHES					
		S	M	L	XL	2XL	3XL
1	OUTSEAM (top of waistband to hem)	40 1/4	41 1/4	42 1/4	43 1/4	44 1/4	45 1/4
2	INSEAM (crotch point to hem, along inside leg seam)	28 1/4	28 3/4	29 1/4	29 3/4	30 1/4	30 3/4
3	WAIST WIDTH (flat measure at waistband, relaxed)	14 1/2	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2
4	WAIST WIDTH (flat measure at waistband, stretched)	21	22	23	24	25	26
5	HIP WIDTH (flat measure, straight between side seams at widest point)	22	23	24	25	26	27
6	FRONT RISE (from top of waistband to crotch point)	12	12 1/2	13	13 1/2	14	14 1/2

Measurement Comments:

- a **OUTSEAM** measurement should be used when sizing the person, not inseam.
- b **INSEAM** measurement should not be used solely to determine leg length; front rise length also affects finished leg length.

STYLE NO: GSXP-1W

FEB.4/13

NO.	MEASUREMENTS AS MEASURED ON THE FINISHED GARMENT	SIZE RANGE IN INCHES					
		XS	S	M	L	XL	2XL
1	OUTSEAM (top of waistband to hem)	38 1/2	39 1/2	40 1/2	41 1/2	42 1/2	43 1/2
2	INSEAM (crotch point to hem, along inside leg seam)	30	30 1/2	31	31 1/2	32	32 1/2
3	WAIST WIDTH (flat measure at waistband, relaxed)	13	14	15	16	17	18
4	WAIST WIDTH (flat measure at waistband, stretched)	19	20	21	22	23	24
5	HIP WIDTH (flat measure, straight between side seams at widest point)	19 1/2	20 1/2	21 1/2	22 1/2	23 1/2	24 1/2
6	FRONT RISE (from top of waistband to crotch point)	10	10 1/2	11	11 1/2	12	12 1/2

Measurement Comments:

- a **OUTSEAM** measurement should be used when sizing the person, not inseam.
- b **INSEAM** measurement should not be used solely to determine leg length; front rise length also affects finished leg length.

SIZE SPECIFICATION CHART

To be used with technical drawing specification sheet

STYLE NO: GSX-2Y WARMUP WINTER JACKET no-hood

July. 11/13

NO.	MEASUREMENTS AS MEASURED ON THE FINISHED GARMENT	SIZE RANGE IN INCHES				
		XS	S	M	L	XL
1	BACK LENGTH (center back neck seam to hem)	20 1/2	22	23 1/2	25	26 1/2
2	CHEST WIDTH (1" below armhole, flat measure)	15 1/2	17	18 1/2	20	21 1/2
3	HEM WIDTH (bottom of garment body, flat measure)	15	16 1/2	18	19 1/2	21
4	SLEEVE LENGTH (center back neck straight to shoulder point, straight to sleeve bottom hem)	24	26	28	30	32
5	NECK OPENING (center front to center front along inside neck seam, excluding zipper)	14	15	16	17	18

STYLE NO: GSX-2

July. 11/13

NO.	MEASUREMENTS AS MEASURED ON THE FINISHED GARMENT	SIZE RANGE IN INCHES							
		S	M	L	XL	2XL	3XL	4XL	5XL
1	BACK LENGTH (center back neck seam to hem)	27 3/4	29	30 1/4	31 1/2	32 3/4	33 1/2	34	34 1/2
2	CHEST WIDTH (1" below armhole, flat measure)	21 1/2	23	24 1/2	26	27 1/2	29	30 1/2	32
3	HEM WIDTH (bottom of garment body, flat measure)	20 1/2	22	23 1/2	25	26 1/2	28	29 1/2	31
4	SLEEVE LENGTH (center back neck straight to shoulder point, straight to sleeve bottom hem)	35	36	37	38	39	39 1/2	40	40 1/2
5	NECK OPENING (center front to center front along inside neck seam, excluding zipper)	19 1/2	20 1/2	21 1/2	22 1/2	23 1/2	24 1/2	25	25 1/2

STYLE NO: GSX-2W

July. 11/13

NO.	MEASUREMENTS AS MEASURED ON THE FINISHED GARMENT	SIZE RANGE IN INCHES					
		XS	S	M	L	XL	2XL
1	BACK LENGTH (center back neck seam to hem)	25	26 1/4	27 1/2	28 3/4	30	31 1/4
2	CHEST WIDTH (1" below armhole, flat measure)	18	19 1/2	21	22 1/2	24	25 1/2
3	HEM WIDTH (bottom of garment body, flat measure)	19	20 1/2	22	23 1/2	25	26 1/2
4	SLEEVE LENGTH (center back neck straight to shoulder point, straight to sleeve bottom hem)	31 1/2	32 1/2	33 1/2	34 1/2	35 1/2	36 1/2
5	NECK OPENING (center front to center front along inside neck seam, excluding zipper)	16	17	18	19	20	21